



1.

加壓 Pump

TYPE: CRN10-6 A-J-G-V-HQQV

仕様: Q :100-240 l/min

H :88-75m


最高水溫 : 90°C

搭載馬達

TYPE: 3~MOT MG 112MB2-28FT130-C

仕様: 3φ AC 200-220/346-380V

50/60Hz 4kW



2.

加壓 Pump

TYPE: CRN10-2 A-J-G-V-HQQV

仕様: Q :100-240 l/min


H :28-17m

最高水溫 : 90°C

搭載馬達

TYPE: 3~MOT MG 90SA-2 24FT115-C

仕様: 3φ AC 200-230/346-400V 50/60Hz 1.5kW



3.

加壓 Pump

TYPE: CRN8-40 APG-AUUE

仕様: Q :116-240 l/min

H :58-36m

搭載馬達

TYPE: 3~MOT MG 100LB2-28FT130-C

仕様: 3φ AC 200-220/346-380V

50/60Hz 3.0kW



4.

加壓 Pump

TYPE: CRN4-40 APG-AUUE

仕様: Q :42-150 l/min

H :52-24m

搭載馬達

TYPE: 3~MOT MG 90SA2-24FT115-C

仕様: 3φ AC 200-220/346-380V

50/60Hz 1.5kW



5.

加壓 Pump

TYPE: 32TRD 5.55S

仕様: Q :90-105 l/min

H :15m



6.

加壓 Pump

TYPE: SA-150C

仕様: Q :80 l/min

H :5m

廠商牌價 ¥37,380



7.

加壓 Pump

TYPE: CT7 00450

仕様: Q :20-150 l/min

H :7.4-1.



8.

加壓 Pump

TYPE: YD-40NSF-P-D


仕様: Q :150 l/min

H :10m

搭載馬達

TYPE: IK

仕様: 3φ AC 200/220 50/60Hz 1.5kW



9.

加壓 Pump

TYPE: MD-100RM

仕様: Q :120-135 l/min

H :8.6-11.9m

搭載馬達

TYPE: TEF TF-26

仕様: 3φ AC 200-265/-260V 50/60Hz

廠商牌價: ¥68,355



10.

加壓 Pump

TYPE: MX-401RV6-2

仕様: Q :10-150 l/min

H :14.5m

搭載馬達

仕様: 3φ 200/200/220V 50/60/60Hz

0.75kW



11.

加壓 Pump

TYPE: CHI2-20 A-W-G-BUBV

MODEL: C4H563264 P10051

仕様: Q :20-65 l/min

H :54m

在庫: 3PC



12.

加壓 Pump

TYPE: 50X40FSFD62.2A
仕様: Q :125-375 l/min
H :30.8-20.0m

搭載馬達

仕様: 3φ 200/220V 60Hz
2.2kW

廠商牌價: ¥131,250



13.

加壓 Pump

TYPE: 252STX604
仕様: Q :13/45/80 l/min
H :16/23 14/20 10/15m

廠商牌價: ¥136,700



14.

加壓 Pump


TYPE: 40UPD22Z

搭載馬達

TYPE: 71-3631

仕様: 3φ 200/200/220V 50/60/60Hz

2.2kw



15. 加壓 Pump

TYPE: MDM40-1401EKKF055J-B2

仕様: Q :50-250 /min

H :22.5m

5.5KW 3460rpm

搭載馬達

TYPE: IKK FCKLAW21

仕様: 3φ 200V 200V 220V 50/60/60Hz

60Hz 5.5kW

廠商牌價:




16 加壓 Pump

TYPE: IK
仕樣: 71M

搭載馬達

TYPE: 71-3841
仕樣: 3φ 200/200/220V 50/60/60Hz
0.4kW

廠商牌價: ¥38,400





17 加壓 Pump

TYPE: 15ULD02Z
仕樣:

搭載馬達

TYPE: IK-FCKLK8
仕樣: 3φ 200/200/220V 50/60/60Hz
0.2kW



18 加壓 Pump

TYPE: 50DSH63.7
 仕様: Q :30 /min
 H :22.5m
 最高水溫 : 80°C

搭載馬達

TYPE:
 仕様: 3φ 200V 60Hz 3.7kW
 廠商牌價: ¥428,400



19 熱媒體用 渦流PUMP

TYPE: 32TH
 仕様:



20

電磁驅動式液體 PUMPTYPE: MW-901EFA仕様: AC 100V 50/60HZ

廠商牌價: ¥20,000

21 電磁驅動式液體 PUMPTYPE: MW-700ETH仕様: AC 100V 50/60HZ